

Introduction

The following rubella surveillance report aims to provide an overview of surveillance systems and selected epidemiological characteristics of rubella at European level for 2008.

Methods

We requested rubella epidemiological aggregated data for 2008 consisting of the number of cases in specified age-groups. These were categorised by number of vaccines received and diagnosis classification status i.e. clinical, laboratory-confirmed, and epidemiologically linked. Our assessment included countries' epidemiological data obtained through mandatory notification systems covering total national populations for 2008. All reported rubella cases meeting the requirements for national surveillance were analysed. Incidence was calculated with the number of reported rubella cases as the numerator and the country population obtained from the Computerized Information System for Infectious Diseases (CISID)¹ as the denominator. We expressed incidence of disease as rubella cases per 100,000 inhabitants per year.

Rubella incidence

A total of 20,592 rubella cases was reported from 28 countries that provided epidemiological data based on mandatory notification systems covering total country population for 2008 (table 1). The incidence category of reported rubella per 100,000 inhabitants is shown in figure 1.


The majority of cases (98%) were reported from three countries: Poland (64%), Italy (26%) and Romania (8%).

Of the total, 324 (1.6%) were laboratory-confirmed and 244 (1.2%) were epidemiologically linked. The remaining cases were reported as clinical cases only.

Age distribution

Data on the specified age-groups was available in 20,557 cases (99.8%). These were distributed between age-groups with 1,159 (6%) aged <1 year, 2,004 (10%) aged 1-4 years, 4,998 (24%) aged 5-9 years, 4,290 (21%) aged 10-14 years, 4,620 (21%) aged 15-19 years and 3,486 (17%) older than 20 years.


Figure 1. Incidence category of reported rubella per 100,000 inhabitants, 2008



Vaccination status

Figure 2 shows the reported cases of rubella with a known vaccination status by age group. The vaccination status was known in 15,706 (76%) of all reported rubella cases. Of these, 12,816 (82%) were unvaccinated, 2,587 (16%) were vaccinated with one dose, 168 (1%) were vaccinated with at least two doses, and 135 (1%) were vaccinated with an unspecified number of doses. Table 2 shows the number and percentage of rubella cases by vaccination status for each country.

Figure 2. Rubella cases with a known vaccination status, by age-group 2008 (n=15,706)



Comments

Overall, there was a decline of 25% in the number of reported cases in 2008 compared with 2007. This decline is mostly attributed to a marked decrease in the number of reported cases from

Poland and Romania. However, these countries together with Italy contribute to the bulk of reported rubella cases.

Comparisons of numbers of rubella cases between countries should be made with caution because of dissimilar surveillance sensitivities, completeness of reporting and different reporting procedures—some countries reported only laboratory-confirmed cases whereas others reported clinical cases without laboratory confirmation.

The percentage of laboratory-confirmed cases was only 1.6% of the total reported cases. None of the cases from Italy and Romania, and only 0.5% of the cases in Poland were laboratory-confirmed. Strengthening surveillance systems for rubella by rigorous case investigation and laboratory confirmation of suspected cases is a key strategy to eliminate rubella in Europe.²

The elimination rubella and prevention congenital rubella infection ultimately depends on achieving and maintaining high rubella vaccine coverage in all European countries.

References

¹ WHO. Population Information. Computerized Information System for Infectious Diseases (CISID). <http://cisid.who.dk> (accessed May 19, 2010).

² WHO. Eliminating measles and rubella and prevention congenital rubella infection. WHO European region strategic plan 2005–2010. World Health Organization 2005. <http://www.euro.who.int/document/E87772.pdf> (accessed May 14, 2009).

Reporter

Mark Muscat

Contributors

Henrik Bang collected the data supplied by EUVAC.NET participants: Reinhild Strauss and Gabriela El Belazi (Federal Ministry for Health, Austria); Martine Sabbe (Scientific Institute of Public Health, Belgium); Mira Kojouharova and Lili Marinova (National Centre of Infectious and Parasitic Diseases, Bulgaria); Bernard Kaic (National Institute of Public Health, Croatia); Chryso Gregoriadou Eracleous and Chrystalla Hadjianastassiou (Medical and Public Health Services, Cyprus); Jitka Cástková and Bohumír Kříž, (National Institute of Public Health, Czech Republic); Natalia Kerbo (Health Protection Inspectorate, Estonia); Irja Davidkin (National Institute for Health and Welfare, Finland); Magdalini Vova-Chatzi (Hellenic Centre for Infectious Diseases Control, Greece); Molnár Zsuzsanna (National Centre for Epidemiology, Hungary); Thorolfur Gudnason (Directorate of Health, Iceland); Sarah Gee and Suzanne Cotter (Health Protection Surveillance Centre, Ireland); Corrado Cenci (Communicable Disease Unit, Ministry of Welfare, Italy); Antonietta Filia (Istituto Superiore di Sanità, Italy); Larisa Savrasova (Public Health Agency, Latvia); Nerija Kuprevičienė and Eglė Valikonienė (Centre for Communicable Diseases and AIDS, Lithuania); Norbert Charle (Direction de la Santé, Luxembourg); Victoria Farrugia Sant'Angelo and Jackie Maistre Melillo, Health Division, Malta; Susan Hahne (National Institute of Public Health and the Environment, The Netherlands); Øistein Løvoll, National Institute of Public Health, Norway; Pawel Stefanoff and Justyna Rogalska (National Institute of Hygiene, Poland); Teresa Fernandes

(Directorate-General of Health, Portugal); Adriana Pistol, Institute of Public Health, Romania; Helena Hudecova and Katarina Palova-Krajcirova Public Health Authority, Slovakia; Mateja Blaško and Maja Praprotnik, (Institute of Public Health, Slovenia); Isabel Peña-Rey (Instituto de Salud Carlos III, CIBERESP, Spain); Tiia Lepp (Swedish Institute for Infectious Disease Control, Sweden); Aslihan Coskun (Primary Health Care General Directorate, Turkey); and Joanne White and Antoaneta Bukasa (Health Protection Agency, UK) .

Issued: 29 July 2009

Updated: 29 July 2010

Table 1. Number of reported rubella in 2007 and 2008, and percentage of laboratory-confirmed and epidemiologically linked cases by country, 2008

Country	Number of cases (Crude incidence per 100,000 inhabitants)		Laboratory-confirmed cases	Epidemiologically linked cases
	2007	2008	2008	2008
Austria	14 (0.2)	13 (0.2)	9 69%	2 15%
Bulgaria	88 (1.2)	58 (0.8)	3 5%	0 0%
Croatia	33 (0.7)	1 (0.02)	1 100%	0 ..
Cyprus	0 (0)	0 (0)	0 ..	0 ..
Czech Republic	4 (0.04)	14 (0.1)	2 14%	0 0%
Estonia	10 (0.7)	4 (0.3)	2 50%	0 0%
Finland	0 (0)	0 (0)	0 ..	0 ..
Greece	0 (0)	0 (0)	0 ..	0 ..
Hungary	0 (0)	0 (0)	0 ..	0 ..
Iceland	0 (0)	0 (0)	0 ..	0 ..
Ireland	19 (0.4)	40 (0.9)	2 5%	1 3%
Italy	758 (1.3)	5,299 (9.0)	0 0%	0 0%
Latvia	7 (0.3)	9 (0.4)	3 33%	0 0%
Lithuania	13 (0.4)	0 (0)	0 ..	0 ..
Luxembourg	0 (0)	0 (0)	0 ..	0 ..
Malta	2 (0.5)	3 (0.7)	3 100%	0 0%
Netherlands	1 (0.01)	2 (0.01)	2 100%	0 0%
Norway	0 (0)	1 (0.02)	1 100%	0 0%
Poland	22,891 (69.5)	13,146 (34.6)	70 0.5%	235 2%
Portugal	6 (0.1)	4 (0)	1 25%	0 0%
Romania	2,958 (13.7)	1,746 (8.2)	0 0%	0 0%
Slovakia	2 (0.04)	0 (0)	0 ..	0 ..
Slovenia	1 (0.1)	0 (0)	0 ..	0 ..
Spain	69 (0.2)	65 (0.1)	38 58%	6 9%
Sweden	2 (0.02)	0 (0)	0 ..	0 ..
Switzerland	13 (0.2)	13 100%	0 0%
Turkey	644 (0.9)	139 (0.2)	139 100%	0 0%
UK	33 (0.1)	35 (0.1)	35 100%	0 0%
Total	27,555 (6.6)	20,592 (4.8)	324 1.6%	244 1.2%

Table 2. Rubella cases by vaccination status by country, 2008

	0 doses	1 dose	≥2 doses	Unspecified number of doses	Unknown vaccination status
Austria	6 46%	1 8%	1 8%	0 0%	5 38%
Bulgaria	18 31%	32 55%	1 2%	0 0%	7 12%
Croatia	1 100%	0 ..	0 ..	0 ..	0 ..
Cyprus	0 ..	0 ..	0 ..	0 ..	0 ..
Czech Republic	7 50%	0 0%	7 50%	0 0%	0 0%
Estonia	2 50%	2 50%	0 0%	0 0%	0 0%
Finland	0 ..	0 ..	0 ..	0 ..	0 ..
Greece	0 ..	0 ..	0 ..	0 ..	0 ..
Hungary	0 ..	0 ..	0 ..	0 ..	0 ..
Iceland	0 ..	0 ..	0 ..	0 ..	0 ..
Ireland	14 35%	13 33%	3 7.5%	1 3%	9 22.5%
Italy	4,488 85%	0 0%	0 0%	131 2%	680 13%
Latvia	5 56%	2 22%	0 0%	0 0%	2 22%
Lithuania	0 ..	0 ..	0 ..	0 ..	0 ..
Luxembourg	0 ..	0 ..	0 ..	0 ..	0 ..
Malta	1 33%	0 0%	0 0%	2 67%	0 0%
Netherlands	2 100%	0 ..	0 ..	0 ..	0 ..
Norway	1 100%	0 ..	0 ..	0 ..	0 ..
Poland	8,149 62%	2,495 19%	148 1%	0 0%	2,354 18%
Portugal	2 50%	0 0%	1 25%	1 25%	0 0%
Romania	0 0%	0 0%	0 0%	0 0%	1,746 100%
Slovakia	0 ..	0 ..	0 ..	0 ..	0 ..
Slovenia	0 ..	0 ..	0 ..	0 ..	0 ..
Spain	32 49%	7 11%	1 1.5%	0 0%	25 38%
Sweden	0 ..	0 ..	0 ..	0 ..	0 ..
Switzerland	5 38%	0 0%	0 0%	0 0%	8 62%
Turkey	77 55%	33 24%	6 4%	0 0%	23 17%
UK	6 17%	2 6%	0 0%	0 0%	27 77%
Total	12,816 62%	2,587 13%	168 0.8%	135 0.7%	4,886 24%

© Copyright 2010 EUVAC.NET

All rights reserved. No part of this report may be reproduced by any means, or transmitted, or translated into machine language without written permission of EUVAC.NET. EUVAC.NET is funded by the European Centre for Disease Prevention and Control (ECDC) and the Statens Serum Institut (SSI). Prior to February 2009, EUVAC.NET received funding from the European Commission (DG SANCO). Neither the aforementioned agencies, nor any person acting on their behalf is liable for any use made of the information published here